

Snowy River Seeds: Sweetcorn Variety Data List USA & CANADA 2020



	Plant Characteristics						Disease Resistance							Herbicide Tolerance		
	Days to Relative Maturity	Cob Length (inches)	Cob Width (inches)	Row Number	Plant Height (Low, Medium, Tall)	Cob Height (Low, Medium, Tall)	Rust Common (Ps) Rp1d	Rust Common (Ps) Other	Northern Corn Leaf Blight = NCLB (Et)	Stewarts Wilt (Pst)	Maize Dwarf Mosaic Virus (MDMV)	Southern Leaf Blight	Gosses Wilt	Reaction to Callisto (mesotrione)	Reaction to Accent (nicosulfuron)	Reaction to Laudis (tembotrione)
Sugary Yellow (su1)																
Jet	67	7.5	2.0	14	L	L	HR	IR	SU	IR	SU	SU	IR	Tol	Tol	Tol
Cash	75	7.5	2.2	18	M	M	IR	IR	SU	IR	SU	IR	*	Tol	Tol	Tol
Prelude	79	7.5	2.2	18	M	M	IR	IR	SU	IR	SU	IR	IR	Tol	Tol	Tol
Grampian	81	7.5	2.1	18	M	M	HR	HR	SU	IR	SU	IR	IR	Tol	Tol	Tol
ZUY7469OY	83	7.8	2.2	18	M	M	HR	HR	IR	*	HR	*	*	Susc	Susc	Tol
ZUY1317OY	83	7.9	2.1	20	T	M	HR	HR	SU	IR	SU	IR	IR	Susc	Susc	Tol
Enterprise	85	8.3	2.1	18	T	M	HR	IR	HR	HR	HR	HR	IR	Tol	Tol	Tol
Supersweet Yellow (sh2)																
ZHY1016OZ	75	7.9	2.0	14	M	M	HR	HR	SU	*	SU	*	*	Tol	Tol	Tol
ZHY1253OZ	81	8.2	2.1	16	S	M	HR	HR	SU	*	IR	*	*	*	*	*
ZHY1455CY	86	8.4	2.1	18	T	M	HR	HR	HR	*	HR	*	*	Tol	Susc	Tol
Galaxy	88	7.9	2.1	18	M	M	IR	IR	IR	IR	SU	IR	*	Tol	Tol	Tol
Supersweet Bicolor (sh2)																
Kiewa	83	8.3	2.0	16	M	M	HR	IR	SU	*	SU	*	*	Tol	Tol	Tol
Supersweet White (sh2)																
ZHW5055OY	81	7.8	2.1	18	M	M	IR	IR	IR	*	IR	*	*	*	*	*
Snogum	82	7.9	2.0	16	M	M	HR	IR	IR	IR	SU	HR	*	Tol	Int	Tol

Disease ratings are as defined by ISF Position Paper May 2005 refer to: www.worldseed.org for more information

HR: High / Standard Resistance: Describes plant varieties that restrict the growth and development of the specified pest or pathogen under normal pressure when compared to susceptible varieties. HR varieties may exhibit some symptoms or damage under heavy pest or pathogen pressure.

IR: Intermediate / Moderate Resistance: Describes plant varieties that restrict the growth and development of the specified pest or pathogen, but may exhibit a greater range of symptoms or damage compared to HR varieties. IR varieties will still show less severe symptoms or damage than susceptible plant varieties when grown under similar environmental conditions and/or pest or pathogen pressure.

SU: Susceptibility is the inability of a variety to restrict the growth and development of a specified pest or pathogen

Notes regarding Rust strains: Common rust races identified in 2001 in USA were not controlled by any of the single genes Rp1-d, Rp1-e, Rp1-g, or Rp1-i. The effectiveness of rust genes in sweet corn will be determined by the variation of common rust races in each growing area.

* means we have insufficient data

The information contained herein is intended as a guide only. Data is based on averages collected from around the world and are indicative only. Varieties should always be trialed in the area they are proposed to be grown. Varietal performance is influenced by many variables, including soil and climatic conditions, cultural and management practices. No liability will be accepted by Snowy River Seeds or its representatives for the accuracy of this information.

Contact your distributor for more information - Updated November 2020

Snowy River Seeds
PO Box 612, Orbost, 3888 Victoria, Australia
Ph: 61 3 51541522
Email: SRS@snowyriverseeds.com Web: snowyriverseeds.com